




# BIFIDO FACTOR®

DAIRY FREE POWDERS and CAPSULES, *Bifidobacterium bifidum* Super Strain Malyoth

*Probiotic supplement for large intestine support*



## INGREDIENTS

**POWDER INGREDIENTS:** *Bifidobacterium bifidum* Super Strain Malyoth, organic garbanzo bean (chick-pea) extract, and cellulose powder.

**CAPSULE INGREDIENTS:** *Bifidobacterium bifidum* Super Strain Malyoth, organic garbanzo bean (chick-pea) extract and cellulose powder, vegetable capsules (hypromellose), and L-leucine.

## FORMAT

Available in 1.75 and 3.0 oz powder and 60 and 90 count vegetable capsules.

## POTENCY GUARANTEE

Each serving/capsule supplies a minimum of two billion cfu of live and active *Bifidobacterium bifidum* Super Strain Malyoth guaranteed through the expiration date.

## SUGGESTED USE

**POWDER:** Take one gram (approx. ½ level teaspoon) daily mixed with 6 oz. unchilled, filtered (chlorine-free) water, preferably before meals. Take at least two hours after herbs, garlic and prescription drugs.

**CAPSULES:** Take one capsule daily with 6 oz. unchilled, filtered (chlorine-free) water, preferably before meals. Take at least two hours after herbs, garlic and prescription drugs. Do not give to children under eight years of age or to those who cannot swallow capsules.

## UNIQUE FEATURES

### Supernatant Delivery System

This unique and proprietary probiotic delivery system protects and nourishes probiotic bacteria by keeping them together with their original

growth medium (supernatant) for maximum potency. Research shows that the supernatant can make a probiotic up to 50% more effective.

### Micropure Technology

Genetic testing guarantees proper strain identification. Quality testing guarantees gluten free, soy free and dairy free probiotics with no GMOs\*\* and no FOS.

### STORAGE AND HANDLING

Keep **dry** and **refrigerated** to maintain potency guarantee. Do not freeze or expose to moisture, heat or direct sunlight. Do not accept if seal is broken.


### WHY *Bifidobacterium bifidum* Malyoth?

*B. bifidum* super strain Malyoth is a beneficial microorganism predominant in the large intestine of adults and older children who have been weaned onto solid foods. It helps maintain healthy intestinal flora, aids digestion and absorption.

### *Bifidobacterium bifidum* CHARACTERISTICS

- Helps in liver function and detoxification. <sup>(1) (2) (3)</sup>
- Helps in the production of B vitamins in the gastrointestinal (GI) tract. <sup>(1) (4) (5) (6)</sup>
- Acts as an antimicrobial agent by producing acetic and lactic acid, to lower the pH of the intestines and inhibit undesirable bacteria. <sup>(1) (4)</sup>
- Helps to inhibit the colonization of the intestines by invading pathogens with which it competes for nutrients and attachment sites. <sup>(1) (4) (7)</sup>





- May suppress harmful bacteria that are associated with age-related, geriatric diseases.

(1) (4) (7) (8)

Aging lowers gastric acidity and allows more competitive microorganisms to reach the large intestine, resulting in a loss of valuable *Bifidobacteria*.

<sup>(6)</sup> The spaces left vacant on the wall of the large intestine by the lack of *Bifidobacteria* are gradually taken over by undesirable bacteria. These noxious bacteria form substances that cause putrefaction and contribute to intestinal problems.

Probiotics are commonly used as a nutritional adjunct to replenish normally occurring beneficial organisms in the gastrointestinal tract.

This is vital, particularly during and following antibiotics, corticosteroids (cortisone), chemotherapy, diarrhea, and chronic yeast or bacterial overgrowth. Ongoing stress also negatively alters the delicate balance of beneficial bacteria. In fact, Japanese research indicates that *Bifidobacterium* are the most important beneficial bacteria for human health. <sup>(9)</sup>

### CONTACT US

**Ecotrend Ecologics**

**T:** 800-665-7065

**E:** [info@ecotrend.ca](mailto:info@ecotrend.ca)

**[www.natren.ca](http://www.natren.ca) / [www.ecotrend.ca](http://www.ecotrend.ca)**

#### References:

1. *Role of bifidobacteria in nutrition, medicine and technology.* **Arunachalam, Kantha D.** 10, s.l. : Nutrition research, 1999, Nutrition research, Vol. 19, pp. 1559-1597.

2. *The effect of bacterium bifidum on intestinal bacterial flora and toxic protein metabolites in chronic liver disease.* **Muting, Dieter, W. Eschrich, and J. P. Mayer.** 5, s.l. : American journal of proctology, 1968, Vol. 19, p. 336.

3. *Bifidobacterium Bifidum administration in humans: A controlled clinical study in liver cirrhosis.* **Muting, Dieter, et al.** s.l. : Microecology and Therapy, 1986, Microecology and Therapy, Vol. 16, pp. 271-272.

4. Bifidobacteria and probiotic action. [book auth.] J. Ballongue. [ed.] and A. von Wright S. Salminen. *Lactic acid bacteria.* New York : Marcel Dekkar, 1993, pp. 357-428.

5. *Probiotic spectra of lactic acid bacteria (LAB).* **Naidu, A. S., W. R. Bidlack, and R. A. Clemens.** 1, s.l. : Critical reviews in food science and nutrition, 1999, Vol. 39, pp. 13-126.

6. **Rasic, Jeremija Lj. and Kurmann, Joseph A.** *Bifidobacteria and Their Role - Microbiological, Nutritional-Physiological, Medical and Technological Aspects and Bibliography.* Basel : Birkhauser Verlag, 1983.

7. *Adhesion of human bifidobacterial strains to cultured human intestinal epithelial cells and inhibition of enteropathogen-cell interactions.* **Bernet, Marie-Francoise, D. Brassart, J. R. Neeser, and A. L. Servin.** s.l. : Applied and Environmental Microbiology, 1993, Applied and Environmental Microbiology, Vol. 59, pp. 4121-4128.

8. *Intestinal flora and aging.* **Mitsuoka, Tomotari.** 12, s.l. : Nutrition reviews, 1992, Nutrition reviews, Vol. 50, pp. 438-446.

9. *Bifidobacteria and their role in human health.* **Mitsuoka, T.** 4, s.l. : Journal of Industrial Microbiology, 1990, Journal of Industrial Microbiology, Vol. 6, pp. 263-267.